S2	6	((determin46 or identif$5 or detect$4 or calculat$4 or estimat$4 or measur$5)near6 (number near4 (command or instruction)))same(buffer near4 queu$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:48
S3	2	(characteristic$1 or activit$3 or busy or idle)near6 ((number near4 (command or instruction))same(buffer near4 queu$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:19
S4	29	(operati$4 or process$4 or perform$4)with ((number near4 (command or instruction))same(buffer near4 queu$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:54
S5	10664	((power or energy)near6 (consumption or consum$5 or sav$4 or reduc$4 or optimiz$4 or minimiz$5 or switch$4 or alter$5))with (characteristic or (number near4 (command or instruction))same(buffer near4 queu$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:25
S6	2186	((power or energy)near6 (consumption or consum$5 or sav$4 or reduc$4 or optimiz$4 or minimiz$5 or switch$4 or alter$5))with (system near3 (performance or activity or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 17:04
S7	1	S6 same (pending near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:29
S8	80	S6 and (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:50
S9	2	S6 same (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:31

S10	120	((operati$4 or system or process$4)near4 (characteristic$1 or activity or performance))with (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:53
S11	6	S10 same ((power or energy)near4 (consum$5 or conserv$5 or sav$4 or utiliz$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:39
S12	21	S10 and ((power or energy)near4 (consum$5 or conserv$5 or sav$4 or utiliz$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:39
S13	0	II5 same (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:08
S14	2	S5 and (((operati$4 or system or process$4)near4 (characteristic$1 or activity or performance))with (((rate near6 buffer)or pending or type) near3 (instruction or command)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:56
S15	22	((switch$4 or alter$4 or chang$4 or adjust$4)near6((power or energy)near3 (mode or state)))with (operati$4 near4 characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:14
S16	1	S5 same (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:10
S17	15	((switch$4 or alter$4 or chang$4 or adjust$4)near6((power or energy)near3 (mode or state)))with ((process$4 or system or cpu) near4 characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:19

S18	1402	(determin$4 or detect$4 or monitor$4)near6 ((instruction$1 or command$1 or operand)near4 queu$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:22
S19	128	S18 with buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:23
S20	41	S18 with (instruction near2 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:23
S21	0	S20 same (power or energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:23
S22	10	S20 and (power or energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:24
S23	1	"6845472".pn.	USPAT	OR	OFF	2005/01/24 09:21
S24	10	((buffer or register)near4 (monitor$4 or observ$4))with ((pending or queued) near5 (instruction$1 or request$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:37
S25	3	S24 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:41
S26	8	S24 and (clock or frequency or rate or speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:39

S27	21	((buffer or register)near4 (monitor$4 or observ$4))with ((pending or queued) near5 (instruction$1 or request$1 or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:38
S28	124	((buffer or register)with (monitor$4 or observ$4))same ((pending or queued) near5 (instruction$1 or request$1 or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:05
S29	15	S27 and ((switch$4 or alter45 or chang$4 or adjust$4 or modif$5)near5 (clock or frequency or rate or speed or state or mode or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:40
S30	83	S28 and ((switch$4 or alter45 or chang$4 or adjust$4 or modif$5)near5 (clock or frequency or rate or speed or state or mode or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:14
S31	13	S27 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:42
S32	73	S30 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:50
S33	17	S30 and (power near5 (mode or state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:51
S34	773	((buffer or register)with (monitor$4 or observ$4 or idenif$5 or determin$4 or detect$4))same ((pending or queued) near5 (instruction$1 or request$1 or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:06

S35	7	((characteristic or mode or state)near4 (based or depend$4 or respons$4))same (((buffer or register)with (monitor$4 or observ$4 or idenif$5 or determin$4 or detect$4))same ((pending or queued) near5 (instruction$1 or request$1 or command)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:10
S36	6	S28 same ((switch$4 or alter45 or chang$4 or adjust$4 or modif$5)near5 (clock or frequency or rate or speed or state or mode or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:45
S37	27	S34 same ((switch$4 or alter45 or chang$4 or adjust$4 or modif$5)near5 (clock or frequency or rate or speed or state or mode or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:55
S38	2468	((ram or (system near3 memory) or cache or buffer)near5 (full$4 or utiliz$5 or us$3))same (power near4 (consumption or state or mode))	US-PGPUB; USPAT; USOCR; . EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:44
S39	892	((ram or (system near3 memory) or cache or buffer)near5 (full$4 or utiliz$5 or us$3))with (power near4 (consumption or state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:44
S40	244	S38 same ((switch$4 or alter45 or chang$4 or adjust$4 or modif$5)near5 (clock or frequency or rate or speed or state or mode or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:47
S41	73	S39 same ((switch$4 or alter45 or chang$4 or adjust$4 or modif$5)near5 (clock or frequency or rate or speed or state or mode or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:29
S42	0	S40 and(((determin46 or identif$5 or detect$4 or calculat$4 or estimat$4 or measur$5)near6 (number near4 (command or instruction or request)))same(buffer near4 queu$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:49

S43	0	S41 and (((determin46 or identif$5 or detect$4 or calculat$4 or estimat$4 or measur$5)near6 (number near4 (command or instruction or request)))same(buffer near4 queu$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:52
S44	2	S38 and (((determin46 or identif$5 or detect$4 or calculat$4 or estimat$4 or measur$5)near6 (number near4 (command or instruction or request)))same(buffer near4 queu$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:54
S45	0	S41 and (((number near4 (command or instruction or request)))same(buffer near4 queu$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:52
S46	2	S38 and ((operati$4 or process$4 or perform$4)with ((number near4 (command or instruction))same(buffer near4 queu$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 12:03
S47	427	(buffer near4 monitor$4)with status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:57
S48	0	S47 same (pending near3 instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:56
S49	0	S47 and (pending near3 instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:31
S50	156	buffer with(pending near3 instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:31

S51	82	S50 and ((monitor$4 or observ$4 or calculat$4 or determin$4 or detect$4)with status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:33
S52	11	S50 and (((monitor$4 or observ$4 or calculat$4 or determin$4 or detect$4)with (buffer near3 (full$4 or empty or status))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:52
S53	4	S52 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:35
S54	123	((power or energy) near4 (conserv$5 or sav$4 or reduc$5 or switch$4 or alter$5))with (buffer near3 (status or mode or fullness))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:54
S55	123	((power or energy) near4 (conserv$5 or sav$4 or reduc$5 or switch$4 or alter$5))with (buffer near3 (status or mode or fullness or statistic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:54
S56	1	S55 same (pending near3 instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:58
S57	8	((monitor$4 or track$4)with (buffer near3 status))same (instruction near2 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:01
S58	2	S55 same ((monitor$4 or track$4)with (buffer near3 status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:06

S59	2	S55 and ((monitor$4 or track$4)with (buffer near3 status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:08
S60	44	((instruction or command)near2 buffer)with ((monitor$4 or track$4 or observ$4 or detect$4)near3 (status or fullness or pending or statistic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 17:02
S61	95	(fullness near3 monitor$4)with buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 17:03
S62	3	S61 and ((power or energy)near6 (consumption or consum$5 or sav$4 or reduc$4 or optimiz$4 or minimiz$5 or switch$4 or alter$5))with (system near3 (performance or activity or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 17:05
S63	12	S61 and ((power or energy)near6 (consumption or consum$5 or sav$4 or reduc$4 or optimiz$4 or minimiz$5 or switch$4 or alter$5 or state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 17:06
S64	277	(monitor$4 or track$4 or record$4)near6 (pending near2 (instruction or command or request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:03
S65	1	S64 same (power near3 (sav$4 or conserv$4 or consum45 or reduc$5 or minimiz$4 or optimiz$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:09
S66	1	S64 same ((power or energy) near3 (sav$4 or dissipat$4 or conserv$4 or consum45 or reduc$5 or minimiz$4 or optimiz$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:11

S67	24	S64 and ((power or energy) near3 (sav$4 or dissipat$4 or conserv$4 or consum45 or reduc$5 or minimiz$4 or optimiz$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:21
S68	11	((power or energy) near3 (sav$4 or dissipat$4 or conserv$4 or consum45 or reduc$5 or minimiz$4 or optimiz$4))near6 (buffer near3 (status or statistic or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:36
S69	7	((power or energy) near3 (sav$4 or dissipat$4 or conserv$4 or consum45 or reduc$5 or minimiz$4 or optimiz$4))near6 (buffer near3 (status or statistic or fullness or empty))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:52
S70	4	((power or energy) near3 (sav$4 or dissipat$4 or conserv$4 or consum45 or reduc$5 or minimiz$4 or optimiz$4))near6 (buffer near5 (fullness or empty))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:49
S71	0	((power or energy) near3 (sav$4 or dissipat$4 or conserv$4 or consum45 or reduc$5 or minimiz$4 or optimiz$4))near6 (buffer near5 (pending near3 (instruction or command or request)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:50
S72	0	((power or energy) near3 (sav$4 or dissipat$4 or conserv$4 or consum45 or reduc$5 or minimiz$4 or optimiz$4))near6 (buffer near5 (pending adj3 (instruction or command or request)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:51
S73	1	((power or energy) near3 (sav$4 or dissipat$4 or conserv$4 or consum45 or reduc$5 or minimiz$4 or optimiz$4))same (buffer near5 (pending adj3 (instruction or command or request)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:51
S74	37	((power or energy) near3 (sav$4 or dissipat$4 or conserv$4 or consum45 or reduc$5 or minimiz$4 or optimiz$4))and (buffer near5 (pending adj3 (instruction or command or request)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:51

S75	33	S74 and (buffer near3 (status or statistic or threshold or fullness or empty))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:58
S76	13	S74 and (buffer near3 (status or statistic or threshold or fullness))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:58
S77	1	"5345569".pn.	USPAT	OR	OFF	2005/01/25 09:20
S78	1	"5420808".pn.	USPAT	OR	OFF	2005/01/25 09:23
S79	1	"5452401".pn.	USPAT	OR	OFF	2005/01/25 09:25
S80	1	"5465373".pn.	USPAT	OR	OFF	2005/01/25 09:26
S81	1	"5491829".pn.	USPAT	OR	OFF	2005/01/25 09:27
S82	1	"5494419".pn.	USPAT	OR	OFF	2005/01/25 09:30
S83	1	"6587202".pn.	USPAT	OR	OFF	2005/01/25 12:03
S84	4	((identif$5 or determin$4 or detect$4)near3 (performance or (operati$4 near2 characteristic)))with (((based or respons$4 or depend$4)near3 (number adj4 (command or request or instruction))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:32
S85	1	((identif$5 or determin$4 or detect$4)near3 (idle or inactive or activity))with (((based or respons$4 or depend$4)near3 (number adj4 (command or request or instruction))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:35
S86	15	((idle or inactive or activity or ((reduc$4 or low$3)near3 power)))with (((based or respons$4 or depend$4)near3 (number adj4 (command or request or instruction))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:41
S87	0	S86 same (instruction near3 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:21
S88	0	S86 and (instruction near3 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:38

S89	0	S86 same (buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:39
S90	0	S86 same (register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:39
S91	324	((instruction or command or request) near3 (buffer or register or memory or storage or ram))with ((power or energy)near4 (sav$4 or conserv$5 or optimiz$4 or reduc$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:44
S92	6	S91 same (number$1 near6 (queued or pend$4 or buffer$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 15:06
S93	59	S91 same (instruction$1 near6 (queued or pend$4 or buffer$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 11:11
S94	5	S91 same ((number adj3 instruction$1) near6 (queued or pend$4 or buffer$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:49
S95	2	((operati$4 near3 characteristic)with (number near3 (command or request or instruction)))same buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 11:26
S96	1	((operati$4 near3 characteristic)with ((type or kind) near3 (command or request or instruction)))same buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 11:27

S97	10	((operati$4 near3 characteristic)same ((type or kind) near3 (command or request or instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 11:28
S98	1	"5420808".pn.	USPAT	OR	OFF	2005/01/25 12:03

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((selecti$5 or adapt$5)near4 (chang$4 or alter$4 or multiplex$4))with ((number near3 bit$1)near6 multimedia)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:28
L2	2	((chang$4 or alter$4 or multiplex$4 or switch$4)near6 (number near3 bit$1))with (multimedia near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:37
L3	17360	(initiat$5 or activat$4 or enabl$4)near4 ((power or energy)near3 (conserv$5 or sav$4 or reduc$5 or lower$4 or optimiz$4 or minimiz$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:41
L4	10	l3 with (buffer near4 (status or fullness or stat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:46
L5	20	l3 same (buffer near4 (status or fullness or stat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:51
L6	14	l3 same (buffer near2 (status or fullness or stat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:46
L7	9	l3 same ((buffer or storage or ram) adj3 (status or fullness or stat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:15
L8	1	l3 same ((buffer or storage or ram) adj3 (status or fullness))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:52

L9	793	(PDA or handheld or portable)with((video or mpeg)near3 process$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:08
L10	242	(PDA or handheld or (personal near3 assistant))with((video or mpeg)near3 process$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:09
L11	5	l10 same ((power or energy) near4 (conserv$5 or sav$4 or lower$4 or reduc$4 or minimiz$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:11
L12	10	l9 same ((power or energy) near4 (conserv$5 or sav$4 or lower$4 or reduc$4 or minimiz$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:15
L13	113	l9 and ((power or energy) near4 (conserv$5 or sav$4 or lower$4 or reduc$4 or minimiz$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:15
L14	6	l13 and ((buffer or storage or ram) adj3 (status or fullness or stat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:16
L17	3	(((((power or energy)near2 module)near3 (track$4 or monitor$4))with (number$1 near5 (instruction or request or command)))same (buffer or ram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 15:09
S1	626	(determin46 or identif$5 or detect$4 or calculat$4 or estimat$4 or measur$5)near6 (buffer near4 queu$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:06